




**STATIONARY  
GOODS ELEVATOR  
SL 150 → 2000 KG CAPACITY**




**DE JONG**  
**HOLLAND**





## STATIONARY GOODS ELEVATOR PERFECT FOR INDUSTRIAL USE



Are you looking for a trustworthy and affordable solution for your vertical transport? The SL series De Jong's liften will be the perfect answer for that.

Especially designed to be installed in logistic centres and warehouses in general.

Our elevators are designed on a no nonsense and industrial basis. Everything on it is functional and no money is wasted on none necessities. Your investment is therefore only for what you basically require; a safe and trustworthy elevator.

### **SIMPLICITY IN OPERATION**

The stationary elevator is safe and simple to work with.

All doors, gates and ramps have electrically controlled mechanical locking systems. Easy access for pallet handlers prevents accidental damage of your goods.

The access ramps close vertically onto the platform, securing the load itself within the parameters of it.





**EASY TO OPERATE**



**CENTRIFUGAL BRAKE**



**ELECTRICALLY  
CONTROLLED RAMP**

## **SAFE AND TRUSTWORTHY**

Cams positioned in the masts will stop the platform exactly at the various desired landing heights. The use of a rack and pinion drive system together with the centrifugal over-speed brake guarantees a safe and reliable operation of the elevator. Like all the elevators of De Jong also the SL series are fully hot dip galvanised. No surface maintenance required, which gives you the choice of installing the elevator inside or outside your premises.

## **USER FRIENDLY**

Our SL series are very user friendly.

Landing doors open only when the platform is actually at door level.

Shaft enclosures and platform enclosures create a very safe environment.

Designed and manufactured following the CE machine directive.

**USER FRIENDLY**

**SAFE AND TRUSTWORTHY**

## **ADVANTAGES**

The SL series offer a lot of advantages compared to many other transport means.

Some of these advantages are:

- Everyone at legal age may operate the elevator. No licence required.
- Much safer than bringing goods to heights with a reach or lift truck.
- Shaft made of square mesh panels gives transparency over the whole travel path of the platform.
- Fraction of the investment necessary if compared to a passenger lift.
- There is no need for a machine room at the top of the shaft.
- Extra landings can simply be installed at a later stage.
- Easy repositioning of the elevator to another location.
- Can be used with or without a platform pit.







## SL SERIES ELEVATORS FOR INSTALLATION IN EXISTING AND NEW BUILDINGS



The SL series elevators are positioned easily in existing or new buildings. A platform pit and machine room on top of the shaft are not required. No building alterations needed!

Placing an elevator without adapting your building? Impossible? Not if you use a De Jong SL series goods elevators. It operates with or without a platform pit and has no machine room necessity on top of the shaft. The complete installation fits simply between the ground floor and ceiling.

Our SL stationary goods elevator is also ideal if an extra storage level is added. It can simply be extended in height and to move it if necessary to another location, is an easy task.

### SL IN A NEW BUILDING

If the elevator is designated for a new building it might be advisable to create a platform pit. This gives a level access to and from the platform onto the ground floor. The pit depth varies with the type of elevator but needs to be on average about 20 to 25 cm deep.







Clever designs are the bases of a reliable range of products. No fancy features but easy to understand and easy to operate equipment.



## THE ESSENCE OF TRANSPORT

De Jong delivers vertical transport means at top level. Safe in usage and inexpensive to buy. Our reputation goes back as far as 1919. A long history in design and manufacturing shows in the superb quality of our products at present.


De Jong uses for its design Solid Edge which is an advanced 3D engineering system ideal for our type of products.

## QUALITY ASSURANCE SYSTEM

Every elevator from De Jong stands out because of its reliability and easy operation.

All materials, components and assemblies are subject to a in-house quality assurance system.

It goes without saying that all our products conform to the latest international norms and regulations.



# DE JONG'S LIFTEN: THE ESSENCE OF RELIABLE VERTICAL TRANSPORT



A break-down or an annual check?  
Our service teams are ready to assist.

## SERVICE

Comfort serves mankind !!

That is why you can rely on our excellent service support. To keep your elevator in top condition we offer:

- Elaborate manuals and electric diagrams.
- Installation and maintenance manuals.
- Maintenance agreements.
- Annual control and test certificates.
- Quick spare-parts supply system.
- On the spot break-down back up service.





## **TAYLOR MADE**

Every situation is unique and every customer has its own specific demands. This requires a flexible approach from us as a manufacturer. We have managed to find an optimal mixture between standard components in combination with a taylor made product. This keeps the costs down without doing any compromise to quality and flexibility.

## **VARIOUS SPECIFICATION POSSIBILITIES**

### **SL 150 → 2000**

- Lifting capacity : 150 to 2000 kg
- Drive system : 230V- 1 phase / 400V – 3 phase
- Optional : Various platform dimensions
  - Variable landing heights
  - Various fencing possibilities
  - Various shaft designs
  - Various control systems



## **ELEVATORS TAYLOR MADE**

## **MORE QUALITY PRODUCTS OF DE JONG'S LIFTEN**

- Robust passenger / goods hoists for the building industry.
- Service elevators for cranes, chimneys and industrial installations.
- Transport platforms.

**IF YOU NEED MORE INFORMATION ABOUT  
OUR RANGE OF PRODUCTS PLEASE DO NOT  
HESITATE TO CONTACT THE ADDRESS BELOW...  
WE LOOK FORWARD HEARING FROM YOU!**



**DE JONG  
HOLLAND**

Constructiestraat 6  
4143 HX Leerdam  
The Netherlands

Tel : 0031 345 636 000  
Fax : 0031 345 636 005  
E-mail : [info@jong-liften.nl](mailto:info@jong-liften.nl)  
Web : [www.jong-liften.nl](http://www.jong-liften.nl)